



Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Deepak Gupta : Date: 21 September 2005
Group Art Unit: 2141 : IBM Corporation
Examiner: Quang N. Nguyen : Intellectual Property Law
Serial No.: 09/679,212 : Dept. IQ0A/040-3
Filed: 04 October 2000 : 1701 North Street
Confirmation No.: 8179 : Endicott, NY 13760-5553
Title: SMTP EXTENSION FOR EMAIL DELIVERY FAILURE

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

CERTIFICATE OF MAILING UNDER 37 CFR 1.8(A)

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mail Stop Issue Fee, Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450 on 21 September 2005.

Karuna Ojanen

**PETITION UNDER 37 CFR 1.181(a)
TO WITHDRAW HOLDING OF ABANDONMENT**

1. A Notice of Abandonment was mailed in the above-identified application on 22 July 2005.
2. The Notice of Abandonment states that the U.S. Patent Office abandoned the above-identified application in view of Applicant's failure to timely file a proper reply to the Office letter mailed on 01 April 2005.
3. The Notice of Abandonment further states that no reply to the Office letter mailed 01 April 2005 had been received.


4. On 27 April 2005, Applicants mailed a Letter in Response to Notice of Drawing Inconsistency mailed by the Examiner on 01 April 2005. In the Letter in Response, Applicants submitted a specification wherein the Brief Description of the Drawings referred to Figures 1A and 1B. Applicants further submitted two corrected drawings, one labeled Figure 1A and the other labeled Figure 1B.
5. As Evidence that Applicants mailed the letter in a timely basis, Applicants submit Exhibit A, a copy of the Letter in Response to Notice of Drawing Inconsistency having a Certificate of Mailing Under 37 CFR 1.8(A) stating that the letter was deposited with the United States Postal Services as first class mail on 27 April 2005. Exhibit A also includes the attachments: a substitute specification of 12 pages, and 2 pages of Drawing: Figure 1A and 1B.
6. As additional evidence, Applicants submit Exhibit B, a copy of MPEP 503 Postcard Receipt that properly identifies the application as Serial No. 09/679,212 and the IBM Docket No. JP920000252US1 with the inventor of Gupta et al. The Postcard Receipt properly identifies the items that were mailed on 27 April 2005 as letter of two pages; a substitute specification of 12 pages, two figures of two pages, and two postcards.
7. The MPEP 503 Postcard Receipt indicates that these documents were received in the U.S. Patent Office OIPE on 02 May 2005. None of the items listed on the postcards are crossed off ensuring that the USPTO has received all the items listed on the MPEP 503 Postcard Receipt.
8. The Certificate of Mailing under 37 CFR 1.8(A) on the first page of the letter in Response to Notice of Drawing Inconsistency, and the MPEP 503 Postcard Receipt serve as prima facie evidence of receipt in the USPTO of a complete and proper response to the letter mailed by the Examiner on 01 April 2005.

9. Applicants submit this petition within the shortened statutory period for reply set to expire on 22 September, two months from the mailing date of the Notice of Abandonment.
10. Applicants herewith submit a copy of the Letter In response to Notice of Drawing Inconsistency comprising 2 pages, a substitute specification comprising 12 pages, and two figures, Figures 1A and 1B comprising 2 pages that were included in the correspondence mailed 27 April 2005.
11. No fee is required for this Petition.
12. Applicants authorized the U.S. Patent Office to charge any additional fees required or credit any excess fee paid to Deposit Account 09-0457.
13. Applicants pray for the U.S. Patent Office to Withdraw the Notice of Abandonment in the above-identified application


Respectfully submitted,

Date: 21 September 2005

By


Karuna Ojanen
Registration No. 32,484

Ojanen Law Offices (OLO)
2665 Riverside Lane NE
Rochester, MN 55906-3456
507.282.0049 voice
507.281.5722 fax



Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Deepak Gupta : Date: 27 April 2005
Group Art Unit: 2141 : IBM Corporation
Examiner: Quang N. Nguyen : Intellectual Property Law
Serial No.: 09/679,212 : Dept. IQ0A/040-3
Filed: 04 October 2000 : 1701 North Street
Confirmation No.: 8179 : Endicott, NY 13760-5553
Title: SMTP EXTENSION FOR EMAIL DELIVERY FAILURE

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

CERTIFICATE OF MAILING UNDER 37 CFR 1.8(A)

I hereby certify that the enclosed or attached correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313- 1450 on 27 April 2005.

Karuna Ojahan
Registration No. 32,484

LETTER IN RESPONSE TO NOTICE OF DRAWING INCONSISTENCY


In response to a Notice of Drawing Inconsistency with Specification mailed 01 April 2005 with a period of response of one month or thirty days, Applicants submit the following corrected drawings and specification.

US Serial No. 09/679,212
Docket No. JP920000252US1
Page 1

The Office of Patent Publication/Publishing Division stated that Figure 2 is contained in the Drawings but not listed in the Brief Description of the Drawings in the specification. In response Applicants submit a specification in which the Brief Description of the Drawings refers to Figures 1A and 1B. Applicants further two corrected drawings, one labeled Figure 1A and the other labeled Figure 1B. Applicants have not added new matter in submitting these corrections.

Date: 27 April 2005

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Karuna Ojanen', is written over a horizontal line. The signature is fluid and cursive, with a large loop at the end.

Karuna Ojanen
Registration No. 32,484

507.282.0049 Voice
507.281.5722 Fax

US Serial No. 09/679,212
Docket No. JP920000252US1
Page 2



SMTP EXTENSION FOR EMAIL DELIVERY FAILURE

Field of the invention:

The invention relates to an extension to the SMTP protocol. More particularly, it
5 relates to providing alternate addresses in case of failure of delivery in an email system.

Background of the invention:

SMTP is a widely used and deployed protocol for E-mail over the internet. Though
10 it has been very effective for mails, various extensions have been requested by Internet users and many have been suggested and implemented. too.

The current SMTP protocol uses the following keywords for simple mailing:

HELO to introduce yourself (helo <hostname>)

15 MAIL to specify the sender (MAIL FROM: <sender> [<parameters>])

RCPT to specify the recipients (RCPT TO: <recipient> [<parameters>]).

DATA to specify the message (ending with a dot in a single line)

(In MAIL and RCPT, parameters are ESMTP extensions)

20 The other keywords used are:

RSET to reset the system, NOOP for no operation, QUIT for exiting from SMTP program, VRFY to verify an address (probably from an address book), EXPN (expand a name / mailing list etc), VERB for verbose mode, ETRN to run the queue.

25

To replace the MAIL command, three new commands have been defined:

SEND: This sends the mail directly to the users terminal.

SOML: This sends the mail to the users terminal and sends a mail if the user is not logged on.

SAML: This performs the function of both SEND and MAIL commands.

5

The SMTP protocol requires that an SMTP server provide notification of delivery failure, if it determines that a message cannot be delivered to one or more recipients. It comes to the sender of the mail as a normal Internet message containing an explanation of the error and the header of the failed message (or the full message).

10 Usually this will contain the recipient it could not send the message to and the routing path. This requires sufficient information to be stored and returned to the sender. This is mentioned in the current protocols as DSN (Delivery Status Notification). This can be specified in the parameters of MAIL and RCPT commands as mentioned earlier.

15

For example

MAIL FROM: <sender> [RET={ FULL | HDRS }] [ENVID=<envid>]

RCPT TO: <recipient> [NOTIFY={NEVER,SUCCESS,FAILURE,DELAY}][
ORCPT=<recipient>]

20 where RET is whether to return the full message or only headers, ENVID is the Sender's "envelope identifier" for tracking, NOTIFY is when to send the notification and ORCPT is the original recipient.

The Problem

25 The FAILURE on delivering mail is a nuisance for internet users. There can be numerous reasons for this. Undelivered messages cite various reasons like Mailbox

full, or Relaying denied. Many times recipient mail servers reject mails from unauthorised domains or reject mails whose size exceeds a specified value. In other cases, people close their accounts or are removed by administrators (for example when an employee retires). Very frequently the servers themselves are down and the mails get returned. Sometimes the email address gets changed or the sender writes a wrong address. An example would be the change of id for a particular user.

Another problem is when people are out of office, they are unable to see their messages. This problem is partially alleviated using WAP. This enables people to access their mails while they are travelling or not in office through mobile phones and laptops. However, it still does not deal with the problem of returned mails. Also, not many people would be using this as it would be costly for them to do so. In many countries people do not even carry laptops or mobile phones, so the implementation of WAP is not feasible or would at least take some time to be helpful.

Lotus Notes mail system and maybe some others give the facility of .forward i.e. forward all mails to a particular address when they put a Out of office notification. However, this also only partially solves the problem and is not effective when the server itself refuses the mail or the server is down or the email address is itself wrong.

As mentioned earlier, extensions have been made to the SMTP protocol in the past, for instance, US patent no. 6,035,327 describes an extension to preserve per message and per recipient properties. However, none of these extensions till date addresses the problem of non-delivery of messages.

The object and summary of the invention:

The object of this invention is to obviate the above drawbacks and specify alternate email recipients.

5

To achieve the said objectives this invention provides a computing system including an email system connected to an email network using the SMTP (Simple Mail Transfer Protocol) protocol characterized in that the said system includes:

- means for the sender to specify alternate recipients of an email message to be used in case the mail system can not deliver the message to the original recipient,
- means for said email system to deliver the message to the specified alternate recipients in case it is unable to deliver to the original recipient.

15

The said means for the sender to specify the alternate recipient is by addition of ARCPT (Alternate Recipient) parameter in said SMTP protocol.

The means for delivering the message to the specified alternate recipients is an extension to the SMTP server to include automatic forwarding of the message to the alternate recipients in case of inability to deliver to original recipients.

The said means for specifying the alternate recipient using the said ARCPT parameter can also be used by the recipient or the system administrator of the recipient server to forward emails to another address and alternate recipient on the recipient server shall hold priority over the one already in the email specified by the

sender.

The above system further comprises:

- means for the sender to specify notification by said email system of the
5 successful delivery to the alternate recipients on failure to deliver to original recipient,
- means for said email system to notify the sender based on the non-delivery of the message to the alternate recipients.

10 The said means for the sender to specify the notification is by addition of ALTERNATE keyword to the NOTIFY parameter.

The said means for the said email system to notify the sender is an extension of the SMTP server to include sending of an email message to the sender in case of
15 non-delivery of the message to the alternate recipients.

The above system further includes:

- ARCPT keyword for specifying alternate recipients,
- ALTERNATE keyword in the NOTIFY parameter, for specifying
20 notification in case of delivery to alternate recipients.

The present invention further provides in a computing system including an email system connected to an email network using the SMTP (Simple Mail Transfer Protocol) protocol, a method for specifying alternate email recipients comprising:

- 25 - specification of alternate recipients by the sender of an email message to be used in case the mail system can not deliver the message to the

original recipient,

- delivery of the message to the specified alternate recipients by the email system in case it is unable to deliver to the original recipient.

5 The specification of the alternate recipient is by ARCPT (Alternate Recipient) parameter in said SMTP protocol.

The delivery of the message to the specified alternate recipients is an extension to the SMTP server to include automatic forwarding of the message to the alternate
10 recipients in case of inability to deliver to original recipients.

The specification of the alternate recipient using the said ARCPT parameter can also be provided by the recipient or the system administrator of the recipient server to forward emails to another address and alternate recipient on the recipient server
15 shall hold priority over the one already in the email specified by the sender.

The above method further comprises:

- specification by the sender of notification by said email system of the successful delivery to the alternate recipients on failure to deliver to
20 original recipient,
- notification to the sender by the email system based on the non-delivery of the message to the alternate recipients.

The specification of the notification is by addition of ALTERNATE keyword to the
25 NOTIFY parameter.

The said notification to the sender is by an extension of the SMTP server to include sending of an email message to the sender in case of non-delivery of the message to the alternate recipients.

5 The said method further includes:

- ARCPT keyword for specifying alternate recipients,
- ALTERNATE keyword in the NOTIFY parameter, for specifying notification in case of delivery to alternate recipients.

10 The instant invention further provides a computer program product comprising computer readable program code stored on computer readable storage medium embodied therein for causing a computer to send email to alternate email recipients in case of inability to deliver to original recipient comprising

- computer readable program code means configured for enabling the
15 sender to specify alternate recipients of an email message to be used in case the mail system can not deliver the message to the original recipient,
- computer readable program code means configured for causing the said
20 email system to deliver the message to the specified alternate recipients in case it is unable to deliver to the original recipient.

The said computer readable program code means configured for specifying the alternate recipient is by addition of ARCPT (Alternate Recipient) parameter in said SMTP protocol.

25

The computer readable program code means configured for delivering the message to the specified alternate recipients is an extension to the SMTP server to include

automatic forwarding of the message to the alternate recipients in case of not delivering to original recipients.

The computer readable program code means configured for enabling the recipient or system administrator of the recipient server to specify an alternate email address using ARCPT parameter to forward emails to another address with the alternate recipient on the recipient server holding priority over the one already in the email specified by the sender.

10 The above computer program product further comprises:

- computer readable program code means configured for enabling the sender to specify notification by said email system of the successful delivery to the alternate recipients on failure to deliver to original recipient,
- 15 - computer readable program code means configured for causing said email system notify the sender based on the non-delivery of the message to the alternate recipients.

20 The said computer readable program code means configured for specifying the notification is by addition of ALTERNATE keyword to the NOTIFY parameter.

The said computer readable program code means configured for notify the sender is an extension of the SMTP server to include sending of an email message to the sender in case of non-delivery of the message to the alternate recipients.

25

The said computer readable program code means further includes:

- ARCPT keyword for specifying alternate recipients,
- ALTERNATE keyword in the NOTIFY parameter, for specifying notification in case of delivery to alternate recipients.

5

Brief Description of the drawings:

The invention will now be described with reference to accompanying drawings and examples:

10 Fig. 1A and 1B show the flow diagram of the system, according to this invention.

Detailed Description of the drawing:

15 The sender specifies the recipient address RI with two alternate recipients AR1 and AR2 (1). The SMTP server of the sender tries to contact the SMTP server of recipient RI (2). In case it is able to do so, it tries to deliver the mail to recipient RI (3). In case of failure to deliver mail, the system checks for alternate email address BR1 if specified by recipient RI (4). If such an alternate email address is specified, the system attempts to deliver the mail to alternate email address (5). If the attempt
20 is successful the activity is complete (6).

If the system is unsuccessful in the above attempts it attempts to connect to the server of AR1 (7). In case it is able to do so, the system attempts to deliver the mail to user AR1 (8). If the attempt is successful, the process is complete (6). Otherwise, the
25 system checks for an alternate email address BAR1, if specified by AR1 recipient (9). If BARI is specified, the system attempts to deliver to it (10). If successful, the process is complete (6).

If the system is unsuccessful at any point above the SMTP server tries to connect to the SMTP server of alternate recipient AR2 (11). If the attempt is unsuccessful a failure notification is issued (15). If the connection is successful, the system
5 attempts to deliver the mail to AR2 (12). If the attempt fails, the system checks for an alternate address specified by AR2 (13). If no alternate address has been specified the system issues a failure notification (15). If however, an alternate address is available the system attempts BAR2 delivery of the mail to BAR2. If successful, the process is complete (6), else a failure notification is issued (15).

10

The RCPT will have a new parameter ARCPT (Alternate recipient) which will correspond to each RCPT address. There can be more than one ARCPT for one RCPT separated by commas. In case there are more than one ARCPT specified, the first one will be used, on failure to deliver to even that address the second one will
15 be used and so on.

The NOTIFY parameter will have a new value that it can take which would be ALTERNATE

NOTIFY={NEVER,SUCCESS,ALTERNATE,FAILURE,DELAY}

20 NEVER: The sender will never be notified.

SUCCESS: The sender will be notified on successful delivery of the mail to the original recipient.

ALTERNATE: The sender will be notified on successful delivery of the mail to the alternate recipient. (which implies it failed to deliver it to the original
25 recipient).

FAILURE: The sender will be notified in case the mail cannot be delivered to the

alternate recipient as well (or to the original recipient in case ARCPT is not specified).

DELAY: In case there is a delay (same as current implementation)

5 For example -

MAIL FROM: <abc@abc.com> [RET={ FULL}]

RCPT TO: <xyz@xyz.com> [NOTIFY={ALTERNATE, FAILURE}][

ORCPT=<abc@abc.com>][ARCPT=<rst@rst.com>]

10 Case I: The server xyz.com is found and accepts the mail, and the user xyz is found

The mail is delivered to xyz@xyz.com

Case II: The server xyz.com is found and accepts the mail, and the user xyz is not found but has an alternate email specified

15 The mail is delivered to the alternate email (on failure it is treated as Case V)

Case III: The server xyz.com is found and rejects the mail, the user xyz is found and has an alternate email specified

The mail is delivered to the alternate email. (on failure it is treated as Case IV)

20 Case IV: The server xyz.com is found and rejects the mail, the user xyz is found without an alternate email specified

The mail is delivered to the address rst@rst.com.

25 Case V: The server xyz.com is found and accepts the mail, the user xyz is not found and no alternate email is also available

The mail is delivered to the address rst@rst.com

Case VI: The server xyz.com is not found.

30 The mail is delivered to the address rst@rst.com

In any of the above cases, if the mail is delivered to rst@rst.com the sender is notified. If delivery to this server also fails, the same steps are followed as for xyz server. In case everything fails, the sender is notified.

5

Advantages:

- The failure notification only comes in case of genuine failures. The best attempt is made to deliver the message to the recipient.
- The users can specify their alternate emails in case they wish to receive mails somewhere else under situations of abnormality.
- The sender has the option of routing the email to alternate recipients if the original recipient cannot be reached and thereby have the message attended to.

10

The proposed solution solves all the problems mentioned above as the alternate email is used in case of failure of delivery of the mail to the original recipient. This decreases the probability of failure substantially.

15



1/2




Figure 1A

2/2




Figure 1B

Serial No. 09/679,212

Docket No. JP920000252US1 Gupta et al.

Date of Deposit: 27 April 2005



The following documents were received
by the U.S. Patent Office:

Letter - 2 pp.



Substitute Specification - 12 pp.

2 Figures - 2 pp.

2 postcards



Ojanen Law Offices
2665 Riverside Lane NE
Rochester MN 55906-3456



Ojanen Law Offices

1530 Greenview Lane, SE

Suite 212

Rochester, MN 55902-1080

